Date																				
Monitor Day	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Bleeding & Fluid																				
Fluid Peak Day																				
Monitor																				
Monitor Peak Day																				
LH Test																				
PdG Test																				
Cervix																				
Monitor Day	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Year _____	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	98	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**
Testing Series # _____	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	97	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**
	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	96	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**

Date																				
Monitor Day	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Bleeding & Fluid																				
Fluid Peak Day																				
Monitor																				
Monitor Peak Day																				
LH Test																				
PdG Test																				
Cervix																				
Monitor Day	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Year _____	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	98	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**	**98**
Testing Series # _____	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	97	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**	**97**
	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	96	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**	**96**

BOSTON CROSS CHECK

Postpartum: Stage 1

bostoncrosscheck.com

KEY

Bleeding and Fluid

(B) = spotting- can be brown, pink, or red

B1 = light flow, B2 = moderate flow, B3 = heavy flow

D = dry, no fluid

M = moist/sticky, pasty, creamy

W = slippery/wet, clear, slightly stretchy, stretchy, watery

Fertility Monitor

blank = no test

L = low reading

H = high reading

P = peak reading

LH or Pdg Test

(-) = negative result

(+) = positive result

Cervix

L = low or lowering

H = high or rising